Author Index of Volume 197

Agrifoglio, G., 159
Ainscough, E. W., 107
Akrivos, P. D., 31
Ali, S., 129
Antholine, W. E., 39
Aslanidis, P., 31

Bajue, S. A., 83
Bartolucci, S., 51
Biesemans, M., 25
Bilinski, H., 59
Bouâlam, M., 25
Bramwell, F. B., 83
Brodie, A. M., 107
Bromberg, L., 95
Brown, K. L., 101
Brüggeller, P., 75
Bruno, G., 9

Carpinelli, P., 51
Carrillo, D., 209
Casas, J. S., 163
Castiñeiras, A., 163
Cervantes-Lee, F., 83
Charles, M., 83
Che, C.-M., 177
Cotton, F. A., 149

Davis, M. J., 15
De Felice, V., 51
De Renzi, A., 51
Drago, V., 121
Dubler, E., 135

Edwards, H. G. M., 89
Elias, H., 21
El-Nahhal, I. M., 193
El-Sayed, M. A., 197
Erthal, S. M. D., 121
Evans, D. R., 101

Fawcett, V., 89
Fenton, R. R., 233

Geiger, D. K., 203
Gielen, M., 25
Giovannitti, B., 51
Glerup, J., 141
Goller, H., 75
Goodson, P. A., 141
Gottlieb, H., 95
Gouzerh, P., 209
Griesar, K., 121
Gupta, N. K., 39

Haase, W., 121
Hadjikakou, S. K., 31
Hänggi, G., 135
Harashima, K., 217
Heaton, G. S., 193
Hirota, N., 185
Hodgson, D. J., 141
Holder, G. N., 67

Jelan, A. M., 193
Jha, N. K., 39

Kaizaki, S., 185
Kanning, M. W., 67
Karagiannidis, P., 31
Kawata, S., 169
Kayser, F., 25
Kehr, G., 129
Kitagawa, S., 169
Kojic-Prodic, B., 31
Kumar, M., 39

Labella, L., 149
Lai, T.-F., 177
Lan, L. X., 185
Legg, J. I., 185
Lewin, I., 95
Lippert, B., 243
Lo Schiavo, S., 9
Luic, M., 31

Macias, A., 163
Matsumoto, K., 217
Michelsen, K., 141
Mohan, M., 39
Moriyama, H., 217
Moyá, M. L., 227
Munakata, M., 169
Murray, K. S., 107

Nakamura, A., 47
Neves, A., 121
Nozaka, Y., 169

Pannell, K., 83
Paulus, H., 21
Pesch, F. J., 243
Peters, J. A., 1
Piraino, P., 9
Preut, H., 243

Ranford, J. D., 107
Robert, F., 209
Rodríguez, A., 227
Rodríguez-Argüelles, M. C., 163
Roulet, R., 15

Sánchez, A., 163
Sánchez, F., 227
Sato, T., 217
Schmalle, H., 135
Schmidt, R. G., 203
Sergi, S., 9
Shang, M., 149
Smith, M. E., 59
Sordo, J., 163
Stephens, F. S., 233
Sun, W.-Y., 47

Tanaka, C., 185
Tano, J., 185
Tenten, A., 243
Tonković, M., 59
Tresoldi, G., 9

Ueyama, N., 47

Vagg, R. S., 233
van Bekkum, H., 1
Venema, F. R., 1

Wannowius, K. J., 21
Warshawsky, A., 95
Waters, J. M., 107
Watson, K. J., 125
Weihe, H., 141
Wiegand, D., 21
Wienken, M., 243
Willem, R., 25
Williams, P. A., 233
Wong, W.-T., 177
Wrackmeyer, B., 129

Yip, H.-K., 177

Zhou, H., 129
Ziessel, R., 125

Elsevier Sequoia

Subject Index of Volume 197

Alkaline earth metal complexes
multinuclear magnetic resonance study of the interaction of aluminium(III)–(+)-tartrate complexes with additional metal ions in aqueous solution, 1
Alkaline metal complexes
multinuclear magnetic resonance study of the interaction of aluminium(III)–(+)-tartrate complexes with additional metal ions in aqueous solution, 1
Alkene complexes
five-coordinate platinum(II) complexes containing substituted olefins: synthesis and cytostatic activity, 51
Alkoxo complexes
dinuclear organohydrazido(2−)molybdenum(VI) complexes containing bridging alkoxo ligands: [{MoO(NNMePh)(acac)(μ-OR)}$_2$]. Crystal structures of [MoO(NNMePh)(acac)$_2$] and [{MoO(NNMePh)(acac)(μ-OPr-n)}$_2$], 209
Alkyl complexes
acid–base chemistry of α-alkylcobalamins. Determination of additional formation constants for the 'tuck-in' species of base-off cobalamins, 101
synthesis, and spectral and X-ray characterization, of methylmercury(II) and dimethylthallium(III) complexes of 2-furanthiocarboxyhydrazide, 163
Aluminium complexes
multinuclear magnetic resonance study of the interaction of aluminium(III)–(+)-tartrate complexes with additional metal ions in aqueous solution, 1
fructose and sucrose interactions with hydrolyzed aluminium(III), 59
Amidate complexes
crystal structure, ^{195}Pt and ^{1}H–^{13}C COSY NMR and FAB mass spectroscopic studies of amidate-bridged binuclear platinum(II) complex, head-to-tail [Pt$_2$(bpy)$_2$(α-pyrrolidonato)$_2$](ClO$_4$)$_2$, 217
Amine complexes
crystal and molecular structures of the adducts of tri-*p*-tolyltin chloride, bromide and iodide with 4,4′-bipyridine, 83
routes to bis(amino)tin dichlorides: exchange reactions between tin(IV) chloride and tin(II) and tin(IV) amides, and the synthesis of a cyclic bis(amino)tin dichloride from tin(IV) chloride and *N*,*N*′-di-tert-butyl-1,3-diaminopropane via HCl elimination, 129
Antitumor activity
tetraethylammonium (diorgano)halogeno(thiosalicylato)-stannates: synthesis, characterization and *in vitro* antitumor activity, 25
five-coordinate platinum(II) complexes containing substituted olefins: synthesis and cytostatic activity, 51
Bidentate ligand complexes
mixed-valence complexes containing the Rh$_2^{5+}$ core. X-ray crystal structure of the dimer-of-dimers [Rh$_2$(form)$_2$(O$_2$CCF$_3$)$_3$(AgO$_2$CCF$_3$)$_2$]$_2$ (form = *N*,*N*′-di-*p*-tolylformamidinate anion), 9
X-ray structure analysis of the cobalt(III) complex formed with the ambidentate ligand 3-hydroxyiminopentane-2,4-dione: proof for N,O-*fac*-coordination and resonance charge delocalization, 21
five-coordinate platinum(II) complexes containing substituted olefins: synthesis and cytostatic activity, 51
crystal and molecular structures of the adducts of tri-*p*-tolyltin chloride, bromide and iodide with 4,4′-bipyridine, 83
photochemical production of hydrogen and carbon dioxide from formate using mixed-ligand iridium complexes as catalysts, 125
binuclear gold(I) complexes with bridging diisocyanides and X-ray structures of [Au(^{t}BuNC)(CN)], [Au$_2$(dmb)(CN)$_2$] and [Au$_2$(tmb)(CN)$_2$] (tmb = 2,5-diisocyano-2,5-dimethylhexane; dmb = 1,8-diisocyano-*p*-menthane), 177
^{2}H NMR spectra for mixed ligand chromium(III) complexes with deuteriated malonato and acetylacetonato ligands, 185
nickel(II) and palladium(II) complexes of some *ortho*-quinone monoximes. A study of the monomer–dimer equilibrium involving the nickel complexes, 193
specific cation–solute interactions as a major contributor to the salt effects on charge-transfer transitions, 227
stoichiometry, properties and kinetics of aprotic reduction od dioxygen by [LCuX]$_2$ (L = *N*,*N*-diethylnipecotamide; X = Cl, Br), 197

Boron compounds
unsymmetrical polypyrazolylborate via boron cations, 159

Carbonyl complexes
fluxional behaviour of [Ir$_4$(CO)$_{11}$H]$^-$ in solution, 15
Carboxylate complexes
preparation and structural characterization of three adamantylcarboxylato diruthenium(II,II), diruthenium(II,III) and dimolybdenum(II,II) compounds, 149
Chelate complexes
X-ray structure analysis of the cobalt(III) complex formed with the ambidentate ligand 3-hydroxyiminopentane-2,4-dione: proof for N,O-*fac*-coordination and resonance charge delocalization, 21
synthesis, magnetic and electrochemical properties of binuclear copper(II) complexes of pyridoxal hydrazones, 39
five-coordinate platinum(II) complexes containing substituted olefins: synthesis and cytostatic activity, 51
a new N,O-donor binucleating ligand and its first iron(III) complex as a model for the purple acid phosphatases, 121
photochemical production of hydrogen and carbon dioxide from formate using mixed-ligand iridium complexes as catalysts, 125
syntheses and characterization of binuclear manganese-(III,IV) and (IV,IV) complexes with 1,4,7,10-tetraazacyclododecane (cyclen), 141
^{2}H NMR spectra for mixed ligand chromium(III) complexes with deuteriated malonato and acetylacetonato ligands, 185
nickel(II) and palladium(II) complexes of some *ortho*-quinone monoximes. A study of the monomer–dimer equilibrium involving the nickel complexes, 193

specific cation–solute interactions as a major contributor to the salt effects on charge-transfer transitions, 227
chiral metal complexes Part 37. A new stereospecific N_4 tetradentate, *N,N'*-di(2-picolyl)-*N'*methyl-2*S*-aminomethylpyrrolidine, *S*-picpyrrMe, and the crystal structures of its ternary Λ-α_1-[Co^{III}(*S*-picpyrrMe)(L)]$^{2+}$ ions, (L=*S*- or *R*-alaninate), 233

Chiral complexes
chiral metal complexes Part 37. A new stereospecific N_4 tetradentate, *N,N'*-di(2-picolyl)-*N'*methyl-2*S*-aminomethylpyrrolidine, *S*-picpyrrMe, and the crystal structures of its ternary Λ-α_1-[Co^{III}(*S*-picpyrrMe)(L)]$^{2+}$ ions, (L=*S*- or *R*-alaninate), 233

Chromium complexes
^2H NMR spectra for mixed ligand chromium(III) complexes with deuteriated malonato and acetylacetonato ligands, 185

Cluster complexes
fluxional behaviour of $[Ir_4(CO)_{11}H]^-$ in solution, 15

Cobalamin complexes
acid–base chemistry of α-alkylcobalamins. Determination of additional formation constants for the 'tuck-in' species of base-off cobalamins, 101

Cobalt complexes
X-ray structure analysis of the cobalt(III) complex formed with the ambidentate ligand 3-hydroxyiminopentane-2,4-dione: proof for N,O-*fac*-coordination and resonance charge delocalization, 21
acid–base chemistry of α-alkylcobalamins. Determination of additional formation constants for the 'tuck-in' species of base-off cobalamins, 101
chiral metal complexes Part 37. A new stereospecific N_4 tetradentate, *N,N'*-di(2-picolyl)-*N'*methyl-2*S*-aminomethylpyrrolidine, *S*-picpyrrMe, and the crystal structures of its ternary Λ-α_1-[Co^{III}(*S*-picpyrrMe)(L)]$^{2+}$ ions, (L=*S*- or *R*-alaninate), 233

Copper complexes
study of mixed ligand copper(I) complexes with tri-*m*-tolylphosphine (tmtp) and heterocyclic thiones. Crystal structures of bis[μ-S(benzimidazoline-2-thione)(tmtp) copper(I) chloride] and bis[μ-Br(thiazolidine-2-thione)(tmtp) copper(I)], 31
synthesis, magnetic and electrochemical properties of binuclear copper(II) complexes of pyridoxal hydrazones, 39
the reaction of the pyrophosphate ion with the antitumour complex [{CuL(CH_3COO)}$_2$] (HL=2-formylpyridine thiosemicarbazone) and the single-crystal X-ray structure of $[(CuL)_4P_2O_7]\cdot nH_2O$, 107
synthesis and crystal structures of tetra- and hexanuclear copper(I) complexes of pyrimidine derivatives, $[Cu_4(C_4H_8N_2S)_4](ClO_4)_4$ and $[Cu_6(C_5H_5N_2S)_6]$, 169
stoichiometry, properties and kinetics of aprotic reduction of dioxygen by [LCuX]$_2$ (L=*N,N*-diethylnipecotamide; X=Cl, Br), 197

Crystal structure
mixed-valence complexes containing the Rh_2^{5+} core. X-ray crystal structure of the dimer-of-dimers $[Rh_2(form)_2(O_2CCF_3)_3(AgO_2CCF_3)_2]_2$ (form=*N,N'*-di-*p*-tolylformamidinate anion), 9
X-ray structure analysis of the cobalt(III) complex formed with the ambidentate ligand 3-hydroxyiminopentane-2,4-dione: proof for N,O-*fac*-coordination and resonance charge delocalization, 21
study of mixed ligand copper(I) complexes with tri-*m*-tolylphosphine (tmtp) and heterocyclic thiones. Crystal structures of bis[μ-S(benzimidazoline-2-thione)(tmtp) copper(I) chloride] and bis[μ-Br(thiazolidine-2-thione)(tmtp) copper(I)], 31
binuclear platinum(II) complexes containing 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane (P4): first X-ray structure of a tetraphos dimer, 75
crystal and molecular structures of the adducts of tri-*p*-tolyltin chloride, bromide and iodide with 4,4'-bipyridine, 83
the reaction of the pyrophosphate ion with the antitumour complex [{CuL(CH_3COO)}$_2$] (HL=2-formylpyridine thiosemicarbazone) and the single-crystal X-ray structure of $[(CuL)_4P_2O_7]\cdot nH_2O$, 107
characterization and crystal structure of (xanthine$^+$)$_2$-[$ZnCl_4$], 135
syntheses and characterization of binuclear manganese(III,IV) and (IV,IV) complexes with 1,4,7,10-tetraazacyclododecane (cyclen), 141
preparation and structural characterization of three adamantylcarboxylato diruthenium(II,II), diruthenium(II,III) and dimolybdenum(II,II) compounds, 149
synthesis, and spectral and X-ray characterization, of methylmercury(II) and dimethylthallium(III) complexes of 2-furanthiocarboxyhydrazide, 163
synthesis and crystal structures of tetra- and hexanuclear copper(I) complexes of pyrimidine derivatives, $[Cu_4(C_4H_8N_2S)_4](ClO_4)_4$ and $[Cu_6(C_5H_5N_2S)_6]$, 169
binuclear gold(I) complexes with bridging diisocyanides and X-ray structures of [Au(^{t}BuNC)(CN)], [Au$_2$(dmb)(CN)$_2$] and [Au$_2$(tmb)(CN)$_2$] (tmb=2,5-diisocyano-2,5-dimethylhexane; dmb=1,8-diisocyano-*p*-menthane), 177
dinuclear organohydrazido(2−)molybdenum(VI) complexes containing bridging alkoxo ligands: [{MoO(NNMePh)(acac)(μ-OR)}$_2$]. Crystal structures of [MoO(NNMePh)(acac)$_2$] and [{MoO(NNMePh)(acac)(μ-OPr-n)}$_2$], 209
crystal structure, ^{195}Pt and ^{1}H–^{13}C COSY NMR and FAB mass spectroscopic studies of amidate-bridged binuclear platinum(II) complex, head-to-tail [$Pt_2(bpy)_2$(α-pyrrolidonato)$_2$](ClO_4)$_2$, 217
chiral metal complexes Part 37*. A new stereospecific N_4 tetradentate, *N,N'*-di(2-picolyl)-*N'*methyl-2*S*-aminomethylpyrrolidine, *S*-picpyrrMe, and the crystal structures of its ternary Λ-α_1-[Co^{III}(*S*-picpyrrMe)(L)]$^{2+}$ ions, (L=*S*- or *R*-alaninate), 233
mono- and bis(9-ethylguanine) complexes of *trans*-(CH_3NH_2)$_2$$Pt^{II}$. X-ray structure of the 2:1 complex and redistribution of the 1:1 compound, 243

Dinuclear complexes
mixed-valence complexes containing the Rh_2^{5+} core. X-ray crystal structure of the dimer-of-dimers $[Rh_2(form)_2(O_2CCF_3)_3(AgO_2CCF_3)_2]_2$ (form=*N,N'*-di-*p*-tolylformamidinate anion), 9
binuclear platinum(II) complexes containing 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane (P4): first X-ray structure of a tetraphos dimer, 75
preparation and structural characterization of three adamantylcarboxylato diruthenium(II,II), diruthenium(II,III) and dimolybdenum(II,II) compounds, 149
binuclear gold(I) complexes with bridging diisocyanides and X-ray structures of [Au(^{t}BuNC)(CN)], [Au$_2$(dmb)(CN)$_2$] and [Au$_2$(tmb)(CN)$_2$] (tmb=2,5-diisocyano-2,5-dimethylhexane; dmb=1,8-diisocyano-*p*-menthane), 177
crystal structure, ^{195}Pt and ^{1}H–^{13}C COSY NMR and FAB mass spectroscopic studies of amidate-bridged binuclear

platinum(II) complex, head-to-tail $[Pt_2(bpy)_2(\alpha\text{-pyrrolidonato})_2](ClO_4)_2$, 217
Dioxygen complexes
stoichiometry, properties and kinetics of aprotic reduction of dioxygen by $[LCuX]_2$ (L = *N*,*N*-diethylnipecotamide; X = Cl, Br), 197
Dithiocarbamate complexes
electron-transfer behaviour of oxorhenium(V), nitridorhenium(V) and rhenium(III) diethyldithiocarbamate complexes, 67

Electrochemistry
synthesis, magnetic and electrochemical properties of binuclear copper(II) complexes of pyridoxal hydrazones, 39
spectral and electrochemical properties of an iron(II) complex of Z–Cys–Ala–Pro–Cys–OMe and new synthesis of the corresponding Z–Cys–Ala–Cys–OMe analogue, 47
electron-transfer behaviour of oxorhenium(V), nitridorhenium(V) and rhenium(III) diethyldithiocarbamate complexes, 67
Equilibrium constant
acid–base chemistry of α-alkylcobalamins. Determination of additional formation constants for the 'tuck-in' species of base-off cobalamins, 101

Force constants
force constant calculations for tetrakis(tribromophosphine)-nickel(0), $Ni(PBr_3)_4$, 89

Gold complexes
binuclear gold(I) complexes with bridging diisocyanides and X-ray structures of $[Au(^tBuNC)(CN)]$, $[Au_2(dmb)(CN)_2]$ and $[Au_2(tmb)(CN)_2]$ (tmb = 2,5-diisocyano-2,5-dimethylhexane; dmb = 1,8-diisocyano-*p*-menthane), 177

Halide complexes
crystal and molecular structures of the adducts of tri-*p*-tolyltin chloride, bromide and iodide with 4,4′-bipyridine, 83
Heterocyclic ligand complexes
synthesis and crystal structures of tetra- and hexanuclear copper(I) complexes of pyrimidine derivatives, $[Cu_4(C_4H_8N_2S)_4](ClO_4)_4$ and $[Cu_6(C_5H_5N_2S)_6]$, 169
Heterocyclic sulfur ligand complexes
study of mixed ligand copper(I) complexes with tri-*m*-tolylphosphine (tmtp) and heterocyclic thiones. Crystal structures of bis[μ-S(benzimidazoline-2-thione)(tmtp) copper(I) chloride] and bis[μ-Br(thiazolidine-2-thione)(tmtp) copper(I)], 31
Hydrazido complexes
dinuclear organohydrazido(2−)molybdenum(VI) complexes containing bridging alkoxo ligands: $[\{MoO(NNMePh)(acac)(\mu\text{-}OR)\}_2]$. Crystal structures of $[MoO(NNMePh)(acac)_2]$ and $[\{MoO(NNMePh)(acac)(\mu\text{-}OPr\text{-}n)\}_2]$, 209
Hydride complexes
fluxional behaviour of $[Ir_4(CO)_{11}H]^-$ in solution, 15

Iridium complexes
fluxional behaviour of $[Ir_4(CO)_{11}H]^-$ in solution, 15
photochemical production of hydrogen and carbon dioxide from formate using mixed-ligand iridium complexes as catalysts, 125
Iron complexes
spectral and electrochemical properties of an iron(II) complex of Z–Cys–Ala–Pro–Cys–OMe and new synthesis of the corresponding Z–Cys–Ala–Cys–OMe analogue, 47
a new N,O-donor binucleating ligand and its first iron(III) complex as a model for the purple acid phosphatases, 121
specific cation–solute interactions as a major contributor to the salt effects on charge-transfer transitions, 227
Isocyanide complexes
binuclear gold(I) complexes with bridging diisocyanides and X-ray structures of $[Au(^tBuNC)(CN)]$, $[Au_2(dmb)(CN)_2]$ and $[Au_2(tmb)(CN)_2]$ (tmb = 2,5-diisocyano-2,5-dimethylhexane; dmb = 1,8-diisocyano-*p*-menthane), 177

Kinetics and mechanism
stoichiometry, properties and kinetics of aprotic reduction of dioxygen by $[LCuX]_2$ (L = *N*,*N*-diethylnipecotamide; X = Cl, Br), 197

Macrocyclic ligand complexes
syntheses and characterization of binuclear manganese-(III,IV) and (IV,IV) complexes with 1,4,7,10-tetraazacyclododecane (cyclen), 141
the synthesis of water-soluble hemiporphyrazine analogues, 203
Magnetism
synthesis, magnetic and electrochemical properties of binuclear copper(II) complexes of pyridoxal hydrazones, 39
Manganese complexes
syntheses and characterization of binuclear manganese-(III,IV) and (IV,IV) complexes with 1,4,7,10-tetraazacyclododecane (cyclen), 141
Mercury complexes
interaction of mercury(II) and silver(I) with bis[di(2-ethylhexyloxy)thiophosphoryl]disulfide, 95
synthesis, and spectral and X-ray characterization, of methylmercury(II) and dimethylthallium(III) complexes of 2-furanthiocarboxyhydrazide, 163
Molybdenum complexes
preparation and structural characterization of three adamantylcarboxylato diruthenium(II,II), diruthenium(II,III) and dimolybdenum(II,II) compounds, 149
dinuclear organohydrazido(2−)molybdenum(VI) complexes containing bridging alkoxo ligands: $[\{MoO(NNMePh)(acac)(\mu\text{-}OR)\}_2]$. Crystal structures of $[MoO(NNMePh)(acac)_2]$ and $[\{MoO(NNMePh)(acac)(\mu\text{-}OPr\text{-}n)\}_2]$, 209

Nickel complexes
force constant calculations for tetrakis(tribromophosphine)-nickel(0), $Ni(PBr_3)_4$, 89
nickel(II) and palladium(II) complexes of some *ortho*-quinone monoximes. A study of the monomer–dimer equilibrium involving the nickel complexes, 193
Nitrido complexes
electron-transfer behaviour of oxorhenium(V), nitridorhenium(V) and rhenium(III) diethyldithiocarbamate complexes, 67
Nucleobase complexes
characterization and crystal structure of $(xanthine^+)_2$-$[ZnCl_4]$, 135
mono- and bis(9-ethylguanine) complexes of *trans*-$(CH_3NH_2)_2Pt^{II}$. X-ray structure of the 2:1 complex and redistribution of the 1:1 compound, 243

Organotin complexes
tetraethylammonium (diorgano)halogeno(thiosalicylato)-stannates: synthesis, characterization and *in vitro* anti-tumor activity, 25
Oxo complexes
electron-transfer behaviour of oxorhenium(V), nitrido-rhenium(V) and rhenium(III) diethyldithiocarbamate complexes, 67

Palladium complexes
nickel(II) and palladium(II) complexes of some *ortho*-quinone monoximes. A study of the monomer–dimer equilibrium involving the nickel complexes, 193
Peptide complexes
spectral and electrochemical properties of an iron(II) complex of Z–Cys–Ala–Pro–Cys–OMe and new synthesis of the corresponding Z–Cys–Ala–Cys–OMe analogue, 47
Phosphate complexes
the reaction of the pyrophosphate ion with the antitumour complex $[\{CuL(CH_3COO)\}_2]$ (HL = 2-formylpyridine thiosemicarbazone) and the single-crystal X-ray structure of $[(CuL)_4P_2O_7]\cdot nH_2O$, 107
Phosphine complexes
force constant calculations for tetrakis(tribromophosphine)-nickel(0), $Ni(PBr_3)_4$, 89
Phosphorous complexes
interaction of mercury(II) and silver(I) with bis[di(2-ethylhexyloxy)thiophosphoryl]disulfide, 95
Photochemistry
photochemical production of hydrogen and carbon dioxide from formate using mixed-ligand iridium complexes as catalysts, 125
Platinum complexes
five-coordinate platinum(II) complexes containing substituted olefins: synthesis and cytostatic activity, 51
binuclear platinum(II) complexes containing 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane (P4): first X-ray structure of a tetraphos dimer, 75
crystal structure, ^{195}Pt and ^{1}H–^{13}C COSY NMR and FAB mass spectroscopic studies of amidate-bridged binuclear platinum(II) complex, head-to-tail $[Pt_2(bpy)_2(\alpha\text{-pyrrolidonato})_2](ClO_4)_2$, 217
mono- and bis(9-ethylguanine) complexes of *trans*-$(CH_3NH_2)_2Pt^{II}$. X-ray structure of the 2:1 complex and redistribution of the 1:1 compound, 243
Polydentate ligand complexes
synthesis, magnetic and electrochemical properties of binuclear copper(II) complexes of pyridoxal hydrazones, 39
a new N,O-donor binucleating ligand and its first iron(III) complex as a model for the purple acid phosphatases, 121
unsymmetrical polypyrazolylborate via boron cations, 159
chiral metal complexes Part 37. A new stereospecific N_4 tetradentate, *N*,*N*′-di(2-picolyl)-*N*′methyl-2*S*-aminomethylpyrrolidine, *S*-picpyrrMe, and the crystal structures of its ternary Λ-α_1-$[Co^{III}(S\text{-picpyrrMe})(L)]^{2+}$ ions, (L = *S*- or *R*-alaninate), 233
Polydentate phosphorous ligand complexes
binuclear platinum(II) complexes containing 1,1,4,7,10,10-hexaphenyl-1,4,7,10-tetraphosphadecane (P4): first X-ray structure of a tetraphos dimer, 75
Polynuclear complexes
synthesis and crystal structures of tetra- and hexanuclear copper(I) complexes of pyrimidine derivatives, $[Cu_4(C_4H_8N_2S)_4](ClO_4)_4$ and $[Cu_6(C_5H_5N_2S)_6]$, 169

Rhenium complexes
electron-transfer behaviour of oxorhenium(V), nitrido-rhenium(V) and rhenium(III) diethyldithiocarbamate complexes, 67
Rhodium complexes
mixed-valence complexes containing the Rh_2^{5+} core. X-ray crystal structure of the dimer-of-dimers $[Rh_2(form)_2(O_2CCF_3)_3(AgO_2CCF_3)_2]_2$ (form = *N*,*N*′-di-*p*-tolylformamidinate anion), 9
Ruthenium complexes
preparation and structural characterization of three adamantylcarboxylato diruthenium(II,II), diruthenium(II,III) and dimolybdenum(II,II) compounds, 149

Silver complexes
interaction of mercury(II) and silver(I) with bis[di(2-ethylhexyloxy)thiophosphoryl]disulfide, 95
Sugar complexes
fructose and sucrose interactions with hydrolyzed aluminium(III), 59
Sulfur complexes
interaction of mercury(II) and silver(I) with bis[di(2-ethylhexyloxy)thiophosphoryl]disulfide, 95

Tartrate complexes
multinuclear magnetic resonance study of the interaction of aluminium(III)–(+)-tartrate complexes with additional metal ions in aqueous solution, 1
Thallium complexes
synthesis, and spectral and X-ray characterization, of methylmercury(II) and dimethylthallium(III) complexes of 2-furanthiocarboxyhydrazide, 163
Thiohydrazide complexes
synthesis, and spectral and X-ray characterization, of methylmercury(II) and dimethylthallium(III) complexes of 2-furanthiocarboxyhydrazide, 163
Thiosalicylate complexes
tetraethylammonium (diorgano)halogeno(thiosalicylato)-stannates: synthesis, characterization and *in vitro* anti-tumor activity, 25
Tin complexes
tetraethylammonium (diorgano)halogeno(thiosalicylato)-stannates: synthesis, characterization and *in vitro* anti-tumor activity, 25
crystal and molecular structures of the adducts of tri-*p*-tolyltin chloride, bromide and iodide with 4,4′-bipyridine, 83
routes to bis(amino)tin dichlorides: exchange reactions between tin(IV) chloride and tin(II) and tin(IV) amides, and the synthesis of a cyclic bis(amino)tin dichloride from tin(IV) chloride and *N*,*N*′-di-tert-butyl-1,3-diaminopropane via HCl elimination, 129
Transition metal complexes
multinuclear magnetic resonance study of the interaction of aluminium(III)–(+)-tartrate complexes with additional metal ions in aqueous solution, 1
the synthesis of water-soluble hemiporphyrazine analogues, 203

Zinc complexes
characterization and crystal structure of $(xanthine^+)_2$-$[ZnCl_4]$, 135